




**INSTRUMENT
APPROACH CHART - ICAO**

ELEV 460 FT
HEIGHTS RELATED TO
THR RWY 30 ELEV 408 FT

**ILS Z or LOC Z RWY 30
JYVÄSKYLÄ AERODROME
JYVÄSKYLÄ, FINLAND**



OCA (H)	A	B	C	D
ILS CAT I	574 (167)	585 (178)	598 (191)	614 (207)
LOC	830 (420)			
LOC WO SDF	1050 (640)			
Circling	1050 (590)	1150 (690)	1330 (870)	1490 (1030)

	kt	90	100	120	140	160
FAF - MAPt 5.1 NM	min:sec	3:25	3:04	2:34	2:12	1:55
Rate of descent	ft/min	480	530	640	740	850

Timing not authorized for defining the MAPt

CHG: MAG VAR, OCA (H), SDF

EFJY ILS Z or LOC Z RWY 30										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Type	Flyover				LVL	Speed
I30 IPLUV RNP APCH	005	IF	IPLUV	IAF	-	034°	5.0	L	A2900+	K240-
	010	TF	RUBAX	IF	-	044.1°T			A2900+	
	020	TF	ATNEK	FAF LOC	-	304° 314.2°T	5.0		A2200+	
	030	TF	JY361	MAPt LOC	Y	304°				
	040	CA	-	-	-	314.3°T	-		A1000+	
	050	DF	LUTOP	MAHF	Y	-	-		A2900	

EFJY ILS Z or LOC Z RWY 30										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Type	Flyover				LVL	Speed
I30 RUBAX RNP APCH	010	IF	RUBAX	IAF/IF	-	304°	5.0		A2900+	
	020	TF	ATNEK	FAF LOC	-	314.2°T			A2200+	
	030	TF	JY361	MAPt LOC	Y	304°				
	040	CA	-	-	-	314.3°T	-		A1000+	
	050	DF	LUTOP	MAHF	Y	-	-		A2900	

EFJY ILS Z or LOC Z RWY 30										
PROC ID NAV SPEC	SEQ NR	P/T	WPT			MAG GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Type	Flyover				LVL	Speed
I30 MAVUP RNP APCH	005	IF	MAVUP	IAF	-	214°	5.0	R	A2900+	K240-
	010	TF	RUBAX	IF	-	224.3°T			A2900+	
	020	TF	ATNEK	FAF LOC	-	304° 314.2°T	5.0		A2200+	
	030	TF	JY361	MAPt LOC	Y	304°				
	040	CA	-	-	-	314.3°T	-		A1000+	
	050	DF	LUTOP	MAHF	Y	-	-		A2900	

RNAV Holdings							
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM
RUBAX	314.0°T	304°	Right	K230-	A2900	1 MIN	-
LUTOP	133.9°T	124°	Right	K230-	A2900	1 MIN	-

WPT COORD
SEE PAGE EFJY AD 2.15 - 1

FINAL APPROACH PARAMETERS			
LOC Gradient	ILS		RDH
	CAT	GPA	
5.24 % (3.00°)	I	3.00°	55 FT