



CHG: MAG VAR, PBN

RNAV STAR RWY 25

ETROD 3B EVRIG 2B UBIGA 2B

- DME/DME OPS: NOT SUPPORTED
- ROUTES: RNAV PROC CODING ON THE VERSO OF THE CHART
ATC WILL GIVE DESCENT CLEARANCES
- WPT CONSTRAINTS: ALT / FL / SPEED CONSTRAINTS MUST ALWAYS BE FOLLOWED AS
PUBLISHED UNLESS EXPLICITLY CANCELLED BY ATC
- CD OPS: BY ATC CLR IF TFC PERMITS. PLAN CD PATH ACCORDING TO STAR
- RCF: SELECT TRANSPONDER CODE 7600
- RNAV STAR HAS BEEN GIVEN AND ACKNOWLEDGED: FOLLOW THE
STAR TO THE RESPECTIVE RWY AND EXECUTE IAP AND LAND
- AREA MNM ALT: SEE AMA INDEX AIP ENR 6.1 - 3

EFKI RNAV STAR RWY 25										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Flyover					LVL	Speed
ETROD 3B RNAV 1	010	IF	ETROD	-	-	-	-		F100+	
	020	TF	EMBAN	-	015°	026.8°T	19.2	L	A3500+	K240-
	030	TF	INGIT	-	338°	350.0°T	5.0		A3100+	

EVRIG 2B RNAV 1	010	IF	EVRIG	-	-	-	-		F100+	
	020	TF	KUNES	-	187°	198.4°T	10.2	L	A3100+	K240-
	030	TF	INGIT	-	158°	169.9°T	5.0		A3100+	

UBIGA 2B RNAV 1	010	IF	UBIGA	-	-	-	-		F100+	
	020	TF	KUNES	-	076°	087.9°T	32.9	R	A3100+	K240-
	030	TF	INGIT	-	158°	169.9°T	5.0		A3100+	

RNAV Holdings									
ID	INBD TR	INBD MAG	Turn Direction	Speed	MNM HLDG LVL	TIME	DIST NM		
INGIT	259.6°T	248°	Right	K230-	A3100	1 MIN	-		

WPT COORD
SEE PAGE EFKI AD 2.15 - 1