



CHG: ADDN D111D, R111E

RNAV SID RWY 12

ABKEM 2A ASLUP 2A BEDSO 2A IXONO 2A MIKNU 2A NUBVU 2A OTVEM 2A UGMOR 2A UPEDU 2A XEVAP 2A

NAV SPECIFICATION: RNAV 1 OR P-RNAV APPROVAL REQUIRED. OTHERWISE ADVISE ATC

DME/DME OPS: NOT SUPPORTED

ROUTES: RNAV PROC CODING ON THE VERSO OF THE CHART

SQUAWK: WHEN LINING UP SQUAWK THE ASSIGNED CODE

INITIAL CLIMB: MNM TURNING ALT ACCORDING TO RTE CODING. CLOSE-IN OBSTACLES EXIST, SEE EFOU AD 2.10 - 5

NOISE ABATEMENT: AFTER TAKE-OFF CLIMB AS RAPIDLY AS POSSIBLE TO AT LEAST 2000 FT ABOVE AD ELEV
PUBLISHED SID ROUTES ARE ALSO MINIMUM NOISE ROUTINGS

AREA MNM ALT: SEE AMA INDEX, AIP ENR 6.1 - 3

EFOU RNAV SID RWY 12										
RTE NAV SPEC	SEQ NR	P/T	WPT		MAG	GEO TR	DIST NM	Turn Direction	Constraints	
			ID	Flyover					LVL	Speed
ABKEM 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	ABKEM	-	152°	161.6°T	26.1			
ASLUP 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU364	-	021°	031.1°T	5.0	L		
	040	TF	ASLUP	-	326°	335.8°T	28.6			
BEDSO 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU364	-	021°	031.1°T	5.0	L		
	040	TF	BEDSO	-	316°	326.4°T	29.7			
IXONO 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU363	-	201°	211.1°T	5.0			
	040	TF	IXONO	-	223°	232.9°T	23.0			
MIKNU 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	MIKNU	-	173°	183.1°T	27.1			
NUBVU 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU364	-	021°	031.1°T	5.0			
	040	TF	NUBVU	-	006°	015.6°T	14.7			
OTVEM 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU364	-	021°	031.1°T	5.0	L		
	040	TF	LILNU	-	291°	301.2°T	14.9			
	050	TF	OTVEM	-	268°	277.6°T	22.3			
UGMOR 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	UGMOR	-	120°	129.9°T	21.8			
UPEDU 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU364	-	021°	031.1°T	5.0	L		
	040	TF	UPEDU	-	342°	352.1°T	20.2			
XEVAP 2A RNAV 1 or P-RNAV	010	CA	-	-	111°	121.0°T	-		A440+	
	020	DF	OU362	-	-	-	-			K200-
	030	TF	OU363	-	201°	211.1°T	5.0	R		
	040	TF	XEVAP	-	262°	272.2°T	27.8			

WPT COORD

SEE PAGE EFOU AD 2.15 - 1